

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hardener S f. cds-Pouring Conc. UW rapid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

coating material

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

cds Polymere GmbH & Co. KG

Gau-Bickelheimer Str. 72

55576 Sprendlingen/Rhh.

Telephone no. +49(6701) 9350-0

Fax no. +49(6701) 9350-50

1.4. Emergency telephone number

cds-Labor / Tel. +49 (67 01) 93 50-28 (This number is reachable monday to friday from 8 am to 5 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 2	H361fd
STOT RE 1	H372
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	3,6,9-Triazaundecan-1,11-diamin; 2-Piperazin-1-ylethylamin; Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin; Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols
----------	--

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients**Hazardous ingredients****Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols**

EINECS no.	701-443-9
Registration no.	01-2119980970-27-XXXX
Concentration	>= 25 < 50 %
Classification (Regulation (EC) No. 1272/2008)	
Skin Irrit. 2	H315
Skin Sens. 1	H317
Aquatic Chronic 2	H411

2-Piperazin-1-ylethylamin

CAS No.	140-31-8
EINECS no.	205-411-0
Registration no.	01-2119471486-30-XXXX
Concentration	>= 25 < 50 %
Classification (Regulation (EC) No. 1272/2008)	
Acute Tox. 3	H311
Repr. 2	H361
STOT RE 1	H372
Skin Corr. 1B	H314
Eye Dam. 1	H318
Acute Tox. 4	H302
Skin Sens. 1	H317
Aquatic Chronic 3	H412

Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin

CAS No.	68953-36-6
EINECS no.	273-201-6
Registration no.	01-2119487006-38
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	
Skin Corr. 1A	H314
Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

3,6,9-Triazaundecan-1,11-diamin

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

CAS No.	112-57-2			
EINECS no.	203-986-2			
Concentration	>=	1	<	5 %
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 4			H302
	Acute Tox. 4			H312
	Skin Corr. 1B			H314
	Skin Sens. 1			H317
	Aquatic Chronic 2			H411

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to TRGS 510 8

Corrosive hazardous substances

Further information on storage conditions

Do not keep at temperatures above 20 °C.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Other information**

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)**2-Piperazin-1-ylethylamin**

Type of value

Derived No Effect Level (DNEL)

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	10,6	mg/m ³

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	2,1	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	7,4	mg/m ³

Predicted No Effect Concentration (PNEC)**2-Piperazin-1-ylethylamin**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,058	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,0058	mg/l

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Type of value	PNEC	
Type	Freshwater	
Concentration	0,03	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,003	mg/l

8.2. Exposure controls**General protective and hygiene measures**

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves
Appropriate Material neoprene

Eye protection

Safety glasses with side protection shield; Face shield

Body protection

Clothing as usual in the chemical industry. Protective shoes

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid		
Colour	slightly yellowish		
Odour	amine-like		
Odour threshold			
Remarks	not determined		
pH value			
Remarks	not determined		
Melting point			
Remarks	not determined		
Freezing point			
Remarks	not determined		
Initial boiling point and boiling range			
Value	> 200		°C
Flash point			
Value	> 93		°C
Evaporation rate (ether = 1) :			
Remarks	not determined		
Flammability (solid, gas)			
not determined			
Upper/lower flammability or explosive limits			
Remarks	not determined		
Vapour pressure			
Value	< 1		hPa
Temperature	50	°C	
Vapour density			
Remarks	not determined		
Density			
Value	1,03		g/cm ³
Temperature	23	°C	
Solubility in water			
Remarks	not determined		
Solubility(ies)			
Remarks	not determined		
Partition coefficient: n-octanol/water			
Remarks	not determined		
Ignition temperature			
Remarks	not determined		
Decomposition temperature			
Remarks	not determined		
Viscosity			
Remarks	not determined		
Explosive properties			
evaluation	not determined		

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

Oxidising properties

Remarks not determined

9.2. Other information**Other information**

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**3,6,9-Triazaundecan-1,11-diamin**

Species	rat			
LD50		3990		mg/kg

2-Piperazin-1-ylethylamin

Species	rat			
LD50	>	2000	to	5000 mg/kg

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	rat			
LD50	>	2000		mg/kg

Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin

Species	rat			
LD50	>	2000		mg/kg

Acute dermal toxicity

ATE		2.004,79		mg/kg
		54		

Method calculated value (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**3,6,9-Triazaundecan-1,11-diamin**

Species	rabbit			
LD50		1260		mg/kg

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

2-Piperazin-1-ylethylamin

Species	rabbit		
LD50	866		mg/kg

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	rat		
LD50	> 2000		mg/kg

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute inhalative toxicity (Components)**Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols**

Species	mouse		
LC50	158,3		mg/l
Duration of exposure	4	h	

Skin corrosion/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.

Subacute, subchronic, chronic toxicity

Remarks	not determined
---------	----------------

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Reproductive toxicity

evaluation	Suspected of damaging fertility. Suspected of damaging the unborn child.
Remarks	The classification criteria are met.

Carcinogenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Repeated exposure

Remarks	The classification criteria are met.
evaluation	Causes damage to organs through prolonged or repeated exposure

Aspiration hazard

Remarks	Based on available data, the classification criteria are not met.
---------	---

Experience in practice

Remarks	Inhalation may lead to irritation of the respiratory tract.
---------	---

Other information

Remarks	No toxicological data are available.
---------	--------------------------------------

SECTION 12: Ecological information**12.1. Toxicity****General information**

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

not determined

Fish toxicity (Components)**3,6,9-Triazaundecan-1,11-diamin**

Species	guppy (Poecilia reticulata)		
LC50	420		mg/l
Duration of exposure	96	h	

2-Piperazin-1-ylethylamin

Species	Fathead minnow (Pimephales promelas)		
LC50	2190		mg/l
Duration of exposure	96	h	

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	zebra fish (Brachydanio rerio)		
LC50	5,6		mg/l
Duration of exposure	96	h	

Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin

Species	zebra fish (Brachydanio rerio)		
LC50	0,19		mg/l
Duration of exposure	96	h	

Daphnia toxicity (Components)**3,6,9-Triazaundecan-1,11-diamin**

Species	Daphnia magna		
EC50	24		mg/l
Duration of exposure	48	h	

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	Daphnia magna		
EC50	58		mg/l
Duration of exposure	48	h	

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	Daphnia magna		
EC50	4,6		mg/l
Duration of exposure	48	h	

Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin

Species	Daphnia magna		
EC50	0,18		mg/l
Duration of exposure	48	h	

Algae toxicity (Components)**3,6,9-Triazaundecan-1,11-diamin**

Species	Pseudokirchneriella subcapitata		
IC50	2		mg/l
Duration of exposure	72	h	

2-Piperazin-1-ylethylamin

Species	Pseudokirchneriella subcapitata		
EC50	> 1000		mg/l
Duration of exposure	72	h	

Reaction mass of (1-Phenylethyl)phenols and bis-(1-phenylethyl)phenols

Species	Scenedesmus subspicatus		
EL50	3,14		mg/l
Duration of exposure	72	h	

Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin

Species	Pseudokirchneriella subcapitata		
EC50	0,638		mg/l
Duration of exposure	72	h	

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

Bacteria toxicity (Components)**Fettsäuren,Tallöl-,Reaktionsprodukte m. Tetraethylenpentamin**

Species	activated sludge		
EC50	114		mg/l
Duration of exposure	3	h	

12.2. Persistence and degradability**General information**

not determined

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

12.6. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Trade name: Hardener S f. cds-Pouring Conc. UW rapid







Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
14.1. UN number	2735	2735	2735
14.2. UN proper shipping name	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2-Piperazin-1-ylethylamin, Polyaminoamid)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2-Piperazin-1-ylethylamin, Polyaminoamid)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2-Piperazin-1-ylethylamin, Polyaminoamid)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 l		
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant 	 ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard Class (Germany) WGK 2

VOC

VOC (EU) 0 % 0 g/l

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.

Trade name: Hardener S f. cds-Pouring Conc. UW rapid

Version: 2.1 / DE

Date revised: 05.04.2022

Substance number: 10284

Replaces Version: 2.0 / DE

Print date: 17.07.2023

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 1	Specific target organ toxicity - repeated exposure, Category 1

Information about Safety Data Sheets Preparers

Oliver Nickel, o.nickel@cds-polymere.de

Supplemental information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.